INDEX TO AUTHORS VOLUME 2

A

ALBRIGHT, J. T. See HARRISON, PATT, and ALBRIGHT, 33

ASHHURST, D. E. See YOUNG, ASHHURST, and COHEN, 387

B

BERMAN, I., and STICE, C. C. Annulate lamellae in an undifferentiated mouse marrow cell, 11

BERRIDGE, M. J. See OSCHMAN and BERRIDGE, 281

BOOTH, G. M., and WHITT, G. S. Histochemical specificity of cholinesterases to phenylthioacetate in differentiated neural tissues of insects and teleosts, 521

BYERS, M. R. Chromatolysis in a pair of identifiable metathoracic neurons in the cockroach, *Diploptera punctata*, 255

C

COHEN, M. J. See YOUNG, ASHHURST, and COHEN, 387

D

DE POTTER, W. P., SMITH, A. D., and DE SCHAEPDRYVER, A. F. Subcellular fractionation of splenic nerve: ATP, chromogranin A and dopamine β-hydroxylase in noradrenergic vesicles, 529

—. See SMITH, DE POTTER, MOERMAN, and DE SCHAEPDRYVER, 547

DE SCHAEPDRYVER, A. F. See DE POTTER, SMITH, and DE SCHAEPDRYVER, 529

—. See SMITH, DE POTTER, MOERMAN, and DE SCHAEPDRYVER, 547

F

FILSHIE, B. K. The resistance of epicuticular components of an insect to extraction with lipid solvents, 181

—. The fine structure and deposition of the larval cuticle of the sheep blowfly (*Lucilia cuprina*), 479

FRANZINI-ARMSTRONG, C. Details of the I band structure as revealed by the localization of ferritin, 327

G

GIAQUINTA, R. See HAYAT and GIAQUINTA, 191

GUPTA, B. L., and LITTLE, C. Studies on Pogonophora. 4. Fine structure of the cuticle and epidermis, 637

H

HAPP, G. M., and HAPP, C. M. Fine structure and histochemistry of the spermathecal gland in the mealworm beetle, *Tenebrio molitor*, 443

HAPP, C. M. See HAPP and HAPP, 443

HARRISON, B. H., PATT, C. I., and ALBRIGHT, J. T. The epithelial origin of lymphocytes in the palatine tonsil of rabbits, 33

HAYAT, M. A., and GIAQUINTA, R. Rapid fixation and embedding for electron microscopy, 191

HILLMAN, H., and KHALAWAN, S. A. The growth of new processes from isolated dorsal and sympathetic cell bodies of rat and rabbit, 249

HOLLAND, N. D. The fine structure of the axial organ of the feather star *Nemaster rubiginosa* (Echinodermata: Crinoidea), 625

HOPKINS, C. R. Studies on secretory activity in the pars intermedia of *Xenopus laevis*. 1. Fine structural changes related to the onset of secretory activity *in vivo*. 2. A biochemical and electron cytochemical investigation of acid hydrolase activity following the stimulation of secretory activity *in vivo*. 3. The synthesis and release of melanocyte stimulating hormone (MSH) *in vitro*, 59, 71, 83

J

JAGENDORF-ELFVIN, M. Localized deposition of lead phosphate precipitate in glycerinated rabbit psoas muscle during ATP-induced contraction, 311

K

KALK, M. The organization of a tunicate heart, 99

KELLY, D. E. See LEIK and KELLY, 435

KHALAWAN, S. A. See HILLMAN and KHALAWAN, 249

KNIGHT, D. P. Sclerotization of the perisarc of the calyptoblastic hydroid, *Laomedea flexuosa*. 1. The identification and localization of dopamine in the hydroid, 467

INDEX TO AUTHORS VOLUME 2

A

ALBRIGHT, J. T. See HARRISON, PATT, and ALBRIGHT, 33

ASHHURST, D. E. See YOUNG, ASHHURST, and COHEN, 387

B

BERMAN, I., and STICE, C. C. Annulate lamellae in an undifferentiated mouse marrow cell, 11

BERRIDGE, M. J. See OSCHMAN and BERRIDGE, 281

BOOTH, G. M., and WHITT, G. S. Histochemical specificity of cholinesterases to phenylthioacetate in differentiated neural tissues of insects and teleosts, 521

BYERS, M. R. Chromatolysis in a pair of identifiable metathoracic neurons in the cockroach, *Diploptera punctata*, 255

C

COHEN, M. J. See YOUNG, ASHHURST, and COHEN, 387

D

DE POTTER, W. P., SMITH, A. D., and DE SCHAEPDRYVER, A. F. Subcellular fractionation of splenic nerve: ATP, chromogranin A and dopamine β-hydroxylase in noradrenergic vesicles, 529

—. See SMITH, DE POTTER, MOERMAN, and DE SCHAEPDRYVER, 547

DE SCHAEPDRYVER, A. F. See DE POTTER, SMITH, and DE SCHAEPDRYVER, 529

—. See SMITH, DE POTTER, MOERMAN, and DE SCHAEPDRYVER, 547

F

FILSHIE, B. K. The resistance of epicuticular components of an insect to extraction with lipid solvents, 181

—. The fine structure and deposition of the larval cuticle of the sheep blowfly (*Lucilia cuprina*), 479

FRANZINI-ARMSTRONG, C. Details of the I band structure as revealed by the localization of ferritin, 327

G

GIAQUINTA, R. See HAYAT and GIAQUINTA, 191

GUPTA, B. L., and LITTLE, C. Studies on Pogonophora. 4. Fine structure of the cuticle and epidermis, 637

H

HAPP, G. M., and HAPP, C. M. Fine structure and histochemistry of the spermathecal gland in the mealworm beetle, *Tenebrio molitor*, 443

HAPP, C. M. See HAPP and HAPP, 443

HARRISON, B. H., PATT, C. I., and ALBRIGHT, J. T. The epithelial origin of lymphocytes in the palatine tonsil of rabbits, 33

HAYAT, M. A., and GIAQUINTA, R. Rapid fixation and embedding for electron microscopy, 191

HILLMAN, H., and KHALAWAN, S. A. The growth of new processes from isolated dorsal and sympathetic cell bodies of rat and rabbit, 249

HOLLAND, N. D. The fine structure of the axial organ of the feather star *Nemaster rubiginosa* (Echinodermata: Crinoidea), 625

HOPKINS, C. R. Studies on secretory activity in the pars intermedia of *Xenopus laevis*. 1. Fine structural changes related to the onset of secretory activity *in vivo*. 2. A biochemical and electron cytochemical investigation of acid hydrolase activity following the stimulation of secretory activity *in vivo*. 3. The synthesis and release of melanocyte stimulating hormone (MSH) *in vitro*, 59, 71, 83

J

JAGENDORF-ELFVIN, M. Localized deposition of lead phosphate precipitate in glycerinated rabbit psoas muscle during ATP-induced contraction, 311

K

KALK, M. The organization of a tunicate heart, 99

KELLY, D. E. See LEIK and KELLY, 435

KHALAWAN, S. A. See HILLMAN and KHALAWAN, 249

KNIGHT, D. P. Sclerotization of the perisarc of the calyptoblastic hydroid, *Laomedea flexuosa*. 1. The identification and localization of dopamine in the hydroid, 467

L

LAI-FOOK, J. The fine structure of developing type 'B' dermal glands in *Rhodnius prolixus*, 119
LANE, N. J., and TREHERNE, J. E. Uptake of peroxidase by the cockroach central nervous system, 413
LEE, D. L. Moulting in nematodes: the formation of the adult cuticle during the final moult of *Nippostrongylus brasiliensis*, 139
—. The fine structure of the excretory system in adult *Nippostrongylus brasiliensis* (Nematoda) and a suggested function for the 'execretory glands', 225
LEIK, J., and KELLY, D. E. Septate junctions in the gastrodermal epithelium of *Phialidium*: A fine structure study utilizing ruthenium red, 435
LEWIS, C. T., and MARSHALL, A. T. The ultrastructure of the sensory plaque organs of the antennae of the Chinese lantern fly, *Pyrops candelaria* L., (Homoptera, Fulgoridae), 375
LING, E. A. Further investigation on the structure and function of the cephalic organs of a nemertine *Lineus ruber*, 569
LITTLE, C. See GUPTA and LITTLE, 637
LOCKE, M. The molt/intermolt cycle in the epidermis and other tissues of an insect *Calpodes ethlius* (Lepidoptera, Hesperiidae), 197
MARSHALL, A. T. See LEWIS and MARSHALL 375

M

MOERMAN, E. J. See SMITH, DE POTTER, MOERMAN, and DE SCHAEPDRYVER 547
MUNN, E. A. Fine structure of basal bodies (kinetosomes) and associated components of *Tetahymena*, 499

N

NAKAJIMA, Y. Fine structure of the medullary command nucleus of the electric organ of the skate, 47

O

ODHIAMBO, T. R. The architecture of the accessory reproductive glands of the male desert locust. III. Components of the muscular wall, 233
ONG, J. E. The micromorphology of the nauplius eye of the estuarine calanoid copepod *Sulcanus conflictus* Nicholls (Crustacea), 589
OSCHMAN, J. L., and BERRIDGE, M. J. Structural and functional aspects of salivary fluid secretion in *Calliphora*, 281

P

PASQUALI-RONCHETTI, I. The ultrastructure organization of femoral muscles in *Musca domestica* (Diptera), 339
PATT, C. I. See HARRISON, PATT, and ALBRIGHT, 33

R

RIBBONS, D. W. See SMITH, RIBBONS, and SMITH, 513

S

SACKTOR, B. See SMITH and SACKTOR, 355
SAKHAROV, D. A. *See* ZS.-NAGY and SAKHAROV, 399
SMITH, A. D., DE POTTER, W. P., MOERMAN, E. J., and DE SCHAEPDRYVER, A. F. Release of dopamine β-hydroxylase and chromogranin A upon stimulation of the splenic nerve, 547
—. See DE POTTER, SMITH, and DE SCHAEPDRYVER 529
SMITH, D. S., and SACKTOR, B. Disposition of membranes and the entry of haemolymph-borne ferritin in flight muscle fibers of the fly *Phormia regina*, 355
—. See SMITH, RIBBONS, and SMITH, 513
—. See STRANGWAYS-DIXON and SMITH, 611
SMITH, U. Aspects of fine structure and function of the subcommissural organ of the embryonic chick, 19
—. The origin of small vesicles in neuro-secretory axons, 427
—. RIBBONS, D. W., and SMITH, D. S. The fine structure of *Methylococcus capsulatus*, 513
STICE, C. C. See BERMAN and STICE, 11
STRANGWAYS-DIXON, J., and SMITH, D. S. The fine structure of gill 'podocytes' in *Panulirus argus* (Crustacea), 611

T

TREHERNE, J. E. See LANE and TREHERNE, 413

W

WHITT, G. S. See BOOTH and WHITT, 521
WIGGLESWORTH, V. B. Structural lipids in the insect cuticle and the function of the oenocytes, 155
WUERKER, R. B. Neurofilaments and glial filaments, 1

Y

YOUNG, D., ASHHURST, D. E., and COHEN, M. J. The injury response of the neurones of *Periplaneta americana*, 387

Z

ZS.-NAGY, I., and SAKHAROV, D. A. The fine structure of the procerebrum of pulmonate molluscs, *Helix* and *Limax*, 399

INDEX TO SUBJECTS VOLUME 2

A

Amphibian, *Xenopus laevis*, pars intermedia of secretory activity. 1. Fine structural changes related to the onset of secretory activity *in vivo*. 2. A biochemical and electron cytochemical investigation of acid hydrolase activity following the stimulation of secretory activity *in vivo*. 3. The synthesis and release of melanocyte stimulating hormone *in vitro*, 59, 71, 83

Annulate lamellae, in an undifferentiated mouse marrow cell, EM study, 11

ATP-induced contraction, of rabbit psoas muscle, deposition of lead phosphate in, cytochemical and EM study, 311

Axial organ, of feather star *Nemaster rubiginosa*, structure of, EM study, 625

Axons, neurosecretory, origin of small vesicles in, EM study, 427

B

Bacterium *Methylococcus capsulatus*, fine structure of, EM study, 513

Basal bodies (kinetosomes) of *Tetrahymena*, and associated components, structure of, EM study, 499

C

Cell, marrow, of mouse, annulate lamellae in, EM study, 11

— bodies, isolated dorsal and sympathetic, of rat and rabbit, growth of new processes from, light microscopic study, 249

Cephalic organs, of nemertine *Lineus ruber*, structure and function of, light and EM study, 569

Chick, embryonic, structure and function of subcommissural organ of, EM study, 19

Cholinesterases, of insects and teleosts, specificity of to phenylthioacetate in differentiated neural tissues, histochemical study, 521

Chromatolysis, in neurons in cockroach *Diploptera punctata*, light and EM study, 255

Coelenterate *Phialidium*, septate junctions in gastrodermal epithelium of, study of utilizing ruthenium red, EM study, 435

—, hydroid *Laomedea flexuosa*, sclerotization of persiarc of. 1. Identification and localization of dopamine in the hydroid, 467

Crinoid *Nemaster rubiginosa*, structure of axial organ of, EM study, 625

Crustacean *Sulcanus conflictus*, copepod, micromorphology of nauplius eye of, EM study, 589

— *Panulirus argus*, structure of gill 'podocytes' in EM study, 611

Cuticle, of adult nematode, formation of during final moult of, EM study, 139

—, and epidermis, of Pogonophora, structure of, light and EM study, 637

—, insect, structural lipids in, and function of oenocytes, histochemical study, 155

—, larval, of *Lucilia cuprina*, structure and deposition of, EM study, 479

D

Dermal glands, type 'B', developing, structure of in *Rhodnius prolixus*, light and EM study, 119

Dopamine, identification and localization of, see Coelenterate, hydroid *Laomedea flexuosa*, 529

— β-hydroxylase and chromogranin A, release of upon stimulation of splenic nerve, biochemical study, 547

E

Electric organ, of skate, structure of medullary command nucleus of, EM study, 47

Electron microscopy, rapid fixation and embedding for, technical EM study, 191

Embedding, and fixation, rapid, for electron microscopy, technical EM study, 191

Epicuticle, of insect, resistance of to extraction with lipid solvents, EM study, 181

Epidermis, and cuticle, of Pogonophora, structure of, light and EM study, 637

—, of insect *Calpodes ethlius*, molt/intermolt cycle in, cytochemical and physiological study, 197

Excretory system, structure of, in adult Nematode *Nippostrongylus brasiliensis*, 225

Eye, nauplius, of estuarine calanoid copepod *Sulcanus conflictus*, EM study, 589

F

Ferritin, haemolymph-borne, entry of in flight muscle fibers of *Phormia regina*, light and EM study 355

—, localization of, I-band structure revealed by, EM study, 327

Filaments, neuro-, and glial filaments, EM study, 1
Fish, skate, electric organ, structure of medullary command nucleus of, EM study, 47
Fixation, rapid, and embedding for electron microscopy, technical EM study, 191
Fractionation, subcellular, of splenic nerve, ATP, chromogranin A and dopamine β-hydroxylase in noradrenergic vesicles, biochemical study, 529

G

Gill 'podocytes', structure of in *Panulirus argus*, EM study, 611
Glands, accessory reproductive, of male desert locust, components of the muscular wall, EM study, 233
–, dermal, type 'B', developing, structure of in *Rhodnius prolixus*, light and EM study, 119
Glial filaments, neurofilaments and, EM study, 1

H

Heart, tunicate, organization of, light and EM study, 99
Hormone, melanocyte stimulative, see Amphibian *Xenopus laevis* 3 83
Hydrolase, acid, in pituitary, see Amphibian *Xenopus laevis* 2 71

I

I-band, of muscle, structure of revealed by localization of ferritin, EM study, 327
Insect *Calliphora*, salivary fluid secretion in, physiological and EM study, 281
– *Calpodes ethlius*, molt/intermolt cycle in epidermis and other tissues of, cytochemical and physiological study, 197
–, desert locust, male, accessory reproductive glands of, components of the muscular wall, EM study, 233
– *Diploptera punctata*, chromatolysis in identifiable metathoracic neurons in, light and EM study, 255
– *Lucilia cuprina*, structure and deposition of larval cuticle of, EM study, 479
– *Musca domestica*, organization of femoral muscles in, EM study, 339
– *Periplaneta americana*, injury response of neurons of, EM study, 387
– *Periplaneta americana*, central nervous system of, uptake of peroxidase by, EM study, 413
– *Phormia regina*, flight muscle fibers of, disposition of membranes and entry of haemolymph-borne ferritin in, light and EM study, 355
– *Pyrops candelaria*, sensory plaque organs of antennae of, transmission and scanning EM study, 375
– *Rhodnius prolixus*, type 'B' dermal glands in, development of, light and EM study, 119
– *Tenebrio molitor*, fine structure and histochemistry of spermathecal gland in, 443
Insect, resistance of epicuticular components of, to extraction with lipid solvents, EM study, 181
— cuticle, structural lipids in, and function of oenocytes, histochemical study, 155
—s and teleosts, differentiated neural tissues of, specificity of cholinesterases of to phenylthioacetate, histochemical study, 521

K

Kinetosomes, see basal bodies, 499

L

Lead phosphate, deposition of in glycerinated rabbit muscle during ATP-induced contraction, cytochemical and EM study, 311
Lipids, structural, in insect cuticle, and function of oenocytes, histochemical study, 155
Lipid solvents, extraction with, resistance of epicuticular components, EM study, 181
Lymphocytes, epithelial origin of, in palatine tonsil of rabbits, light and EM study, 33

M

Molluscs *Helix* and *Limax*, structure of procerebrum of, EM study, 399
Molt/intermolt cycle, of insect *Calpodes ethlius*, in epidermis and other tissues of, cytochemical and physiological study, 197
Moulting in Nematodes: formation of adult cuticle during final moult of *Nippostrongylus brasiliensis*, EM study, 139
Mouse, marrow cell of, annulate lamellae in, EM study, 11
Muscle, femoral, in *Musca domestica*, EM study, 339
—, flight, of *Phormia regina*, disposition of membranes and entry of ferritin in, light and EM study, 355
—, I-band structure of, revealed by localization of ferritin, EM study, 327
—, of accessory reproductive glands of male desert locust, EM study, 233
—, psoas, of rabbit, deposition of lead phosphate in, during ATP-induced contraction, cytochemical and EM study, 311

N

Nauplius eye, of estuarine calanoid copepod *Sulcanus conflictus*, EM study, 589
Nematode *Nippostrongylus brasiliensis*, moulting in: formation of adult cuticle of, EM study, 139
— — —, adult, excretory system in, EM study, 225
Nemertine *Lineus ruber*, structure and function of, cephalic organs of, light and EM study, 569
Nervous system, central, of cockroach, uptake of peroxidase by, EM study, 413
— —, medullary command nucleus of, in electric organ of skate, EM study, 47

Nervous system, metathoracic, of cockroach *Diploptera punctata*, chromatolysis in, light and EM study, 525
— —, neurons, dorsal and sympathetic growth of processes from, light microscopic study, 249
— — —, of *Periplaneta americana*, injury response of, EM study, 387
— —, neurosecretory axons of, origin of small vesicles in, EM study, 427
—, procerebrum, of molluscs *Helix* and *Limax*, structure of, EM study, 399
— —, sensory, plaque organs of antennae of *Pyrops candelaria*, transmission and scanning EM study, 375
—, neural tissues, of insects and teleosts, specificity of cholinesterases of to phenylthioacetate, histochemical study, 521
Neurofilaments, and glial filaments, EM study, 1
Neurosecretory axons, origin of small vesicles in, EM study, 427
Noradrenergic vesicles, see vesicles, noradrenergic 529

O

Oenocytes, structural lipids in insect cuticle and function of, histochemical study, 155

P

Peroxidase, uptake of, by cockroach central nervous system, EM study, 413
Pituitary, pars intermedia of, see Amphibian *Xenopus laevis*
'Podocytes', of gill, in *Panulirus argus*, EM study, 611
Pogonophora, studies on: fine structure of cuticle and epidermis, 637
Procerebrum, of molluscs *Helix* and *Limax*, structure of, EM study, 399
Protozoan *Tetrahymena*, structure of basal bodies (kinetosomes) of, EM study, 499

R

Rabbit, palatine tonsil of, epithelial origin of lymphocytes in, light and EM study 33
—, psoas muscle of, deposition of lead phosphate in, during ATP-induced contraction, cytochemical and EM study, 311
Rat and rabbit, isolated dorsal and sympathetic cell bodies of, growth of new processes from, light microscopic study, 249
Reproductive glands, male accessory, of desert locust, components of the muscular wall, EM study, 233
Ruthenium red, utilized in study of septate junctions of epithelium of *Phialidium*, EM study, 435

S

Salivary fluid, secretion of in *Calliphora*, structural and functional aspects of, physiological and EM study, 281
Sclerotization, of perisarc of Calyptoblastic hydroid *Laomedea flexuosa*, histochemical study, 467
Secretion, of salivary fluid in *Calliphora*, structural and functional aspects of, physiological and EM study, 281
Secretory activity, in pars intermedia, see Amphibian *Xenopus laevis*
Sensory plaque organs, of antennae of *Pyrops candelaria*, structure of, transmission and scanning EM study, 375
Septate junctions, in gastrodermal epithelium of *Phialidium*, study of utilizing ruthenium red, EM study, 435
Spermathecal gland, of *Tenebrio molitor*, fine structure and histochemistry of, 443
Splenic nerve, stimulation of, biochemical study, 547
— —, subcellular fractionation of, biochemical study, 529
Subcommissural organ, of embryonic chick, fine structure and function of, EM study, 19

T

Tonsil, palatine, of rabbits, epithelial origin of lymphocytes in, light and EM study, 33
Tunicate heart, organization of, light and EM study, 99

V

Vesicles, small, origin of in neurosecretory axons, EM study, 427
—, noradrenergic, ATP, chromogranin A and dopamine β-hydroxylase in: subcellular fractionation of splenic nerve, biochemical study, 529

tic cell
, light
249
locust,
, 233
actions
435

uctural
d EM
281
ydroid
467
uctural
d EM
281
hibian

Pyrops
anning
375
um of
d, EM
435
ructure
443
y, 547
study
529
k, fine
19

gin of
33
study,
99

ns, EM
427
A and
ctiona-
529